# Heavy Duty Applications









### Handles S Blades











### **NG-1 Handle NG1000**

NogaGrip-1 - holds all S blades (3.2 mm). Spare blades can be kept inside the handle. Designed for maximum comfort in your hand



### NG-3 Handle NG3000

NogaGrip-3 - holds all blade holders.

Spare blades can be kept inside the handle.

Designed for maximum comfort in your hand



### S Holder EL02003

Holds S blades (3.2 mm). S holder telescopes from 30-115 mm. Length 131 mm.



BLADES	order no.		incl. angle (degrees)	package weight (g)	package quantity	works best on:
<b>S10</b>	BS1010	BEST	40	42	10	steel, aluminium and plastic
S10TiN	BS1012		40	42	10	abrasive material
S20	BS2010	L/R BEST SELLER	60	43	10	brass and cast iron
S20TiN	BS2012	L/R	60	43	10	stainless steel
S30	BS3010		40	40	10	both int. and ext. burrs
<b>S35</b>	BS3510	L/R BEST SELLER	55	44	10	straight edges on most materials
S60	BS6001		40	9	1	cross holes in difficult to reach places
<b>S70</b>	BS7001		45	8	1	straight edges and flat surfaces
S100 Cobalt	BS1018	BEST	45	42	10	plastic and hard materials
S101	BK1010		40	39	10	fine edges on all materials
S150	BK3010	BEST	45	37	10	holes as small as 1.5 mm dia.
S150 TiN	BK3112		45	37	10	holes as small as 1.5 mm dia. for long life
S202	BK2010	L/R	55	40	10	brass and cast iron fine edges

L/R - for left and right hand users.

All blades are made of H.S.S. Hardness 62-64Rc except S100 Cobalt 65-66Rc



## Heavy Duty S Blade Sets



### **Promo Set** NG8150

#### **Economy Set NG8200 INCLUDES:**

### **Cobalt Set NG8250**

### Tele Set NG8350

