



80 series adjustable wrench

80

MORE DETAILS ABOUT PRODUCT

- Standards: ISO 6787, DIN 3117 form, ASME B107.8M - 1996 and BS 6333
- High performance alloy steel
- Scale in mm for pre-adjusting and accurate measurement
- Head combines slimness for accessibility with strength for performance
- Left turning screw
- Black finish. Precision-hardened and anti-corrosion treated
- IP: Industrial pack



Product	A	Total length_in_A.eps_Metric	B	C	D	Jaw height_mm_E.eps_Metric	g
8089	110 mm	4 in	13 mm	4 mm	9 mm	13 mm	80 g
8070	155 mm	6 in	20 mm	5,3 mm	11,5 mm	19 mm	135 g
8071	205 mm	8 in	27 mm	6 mm	13 mm	24 mm	255 g
8072	255 mm	10 in	31 mm	8,6 mm	15,5 mm	29 mm	400 g
8073	305 mm	12 in	34 mm	11,9 mm	18 mm	34 mm	685 g
8074	380 mm	15 in	44 mm	13 mm	21,5 mm	44 mm	1035 g
8075	455 mm	18 in	53 mm	17,7 mm	22,5 mm	53 mm	1685 g
8089 IP	110 mm	4 in	13 mm	4 mm	9 mm	13 mm	80 g
8070 IP	155 mm	6 in	20 mm	5,3 mm	11,5 mm	19 mm	135 g
8071 IP	205 mm	8 in	27 mm	7,45 mm	14,17 mm	24 mm	255 g
8072 IP	255 mm	10 in	31 mm	8,6 mm	15,5 mm	29 mm	400 g
8073 IP	305 mm	12 in	34 mm	11,9 mm	18 mm	34 mm	685 g
8074 IP	380 mm	15 in	44 mm	13 mm	21,5 mm	44 mm	1035 g
8075 IP	455 mm	18 in	53 mm	17,7 mm	22,5 mm	53 mm	1685 g