



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number UCP328, UCP 300 Pillow Block Mounted Bearings - Set Screw Locking



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Bearing Number	UC328
Shaft Size d	140 mm
Locking Style	Set Screw Locking
Housing Construction	Two-Bolt Pillow Block

Dimensions


Base to Center Height H	200 mm 7.874 in
Total Length L	620 mm 24.409 in
Housing Width A	140.000 mm 5.512 in
Bolt Hole Spacing J	500 mm 19.685 in



Bolt Hole Size N	40 mm 1.575 in
Bolt Hole Length N1	55 mm 2.165 in
Foot Height H1	60 mm
Total Height H2	393 mm 15.472 in
Dimension L1	185 mm 7.283 in
Inner Ring Width B	145 mm 5.709 in
Center of Bearing from End S	59 mm 2.323 in

Basic Load Ratings

Static Load Rating	246000 N 55304 lbf
Dynamic Load Rating	253000 N 56877 lbf



TIMKEN
THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY