

TECHNICAL DATASHEET

Update : 26/02/2019

DRILL - HSS CO5% - UFL FLUTE - OZMD COATED DRILL



Characteristics

Ref.	EAN	Drilling diameter mm	Total length mm	Length of cut mm	Body material	Sharpening	Tip angle	Tail diameter mm	Internal cooling	Din standard	Coating	Angle of helix °
861729	3660338164859	2	49	24	HSS Co5%	Cross-grinding	135	2	No	338 TS	OZMD	40
861730	3660338164866	2,1	49	24	HSS Co5%	Cross-grinding	135	2,1	No	338 TS	OZMD	40
861731	3660338164873	2,2	53	27	HSS Co5%	Cross-grinding	135	2,2	No	338 TS	OZMD	40
861732	3660338164880	2,3	53	27	HSS Co5%	Cross-grinding	135	2,3	No	338 TS	OZMD	40
861733	3660338164897	2,4	57	30	HSS Co5%	Cross-grinding	135	2,4	No	338 TS	OZMD	40
861734	3660338164903	2,5	57	30	HSS Co5%	Cross-grinding	135	2,5	No	338 TS	OZMD	40
861735	3660338164910	2,6	57	30	HSS Co5%	Cross-grinding	135	2,6	No	338 TS	OZMD	40
861736	3660338164927	2,7	61	33	HSS Co5%	Cross-grinding	135	2,7	No	338 TS	OZMD	40
861737	3660338164934	2,8	61	33	HSS Co5%	Cross-grinding	135	2,8	No	338 TS	OZMD	40
861738	3660338164941	2,9	61	33	HSS Co5%	Cross-grinding	135	2,9	No	338 TS	OZMD	40
861739	3660338164958	3	61	33	HSS Co5%	Cross-grinding	135	3	No	338 TS	OZMD	40
861740	3660338164965	3,1	65	36	HSS Co5%	Cross-grinding	135	3,1	No	338 TS	OZMD	40
861741	3660338164972	3,2	65	36	HSS Co5%	Cross-grinding	135	3,2	No	338 TS	OZMD	40
861742	3660338164989	3,3	65	36	HSS Co5%	Cross-grinding	135	3,3	No	338 TS	OZMD	40
861743	3660338164996	3,4	70	39	HSS Co5%	Cross-grinding	135	3,4	No	338 TS	OZMD	40
861744	3660338165009	3,5	70	39	HSS Co5%	Cross-grinding	135	3,5	No	338 TS	OZMD	40
861745	3660338165016	3,6	70	39	HSS Co5%	Cross-grinding	135	3,6	No	338 TS	OZMD	40
861746	3660338165023	3,7	70	39	HSS Co5%	Cross-grinding	135	3,7	No	338 TS	OZMD	40
861747	3660338165030	3,8	75	43	HSS Co5%	Cross-grinding	135	3,8	No	338 TS	OZMD	40
861748	3660338165047	3,9	75	43	HSS Co5%	Cross-grinding	135	3,9	No	338 TS	OZMD	40
861749	3660338165054	4	75	43	HSS Co5%	Cross-grinding	135	4	No	338 TS	OZMD	40

861750	3660338165061	4,1	75	43	HSS Co5%	Cross-grinding	135	4,1	No	338 TS	OZMD	40
861751	3660338165078	4,2	75	43	HSS Co5%	Cross-grinding	135	4,2	No	338 TS	OZMD	40
861752	3660338165085	4,3	80	47	HSS Co5%	Cross-grinding	135	4,3	No	338 TS	OZMD	40
861753	3660338165092	4,4	80	47	HSS Co5%	Cross-grinding	135	4,4	No	338 TS	OZMD	40
861754	3660338165108	4,5	80	47	HSS Co5%	Cross-grinding	135	4,5	No	338 TS	OZMD	40
861755	3660338165115	4,6	80	47	HSS Co5%	Cross-grinding	135	4,6	No	338 TS	OZMD	40
861756	3660338165122	4,7	80	47	HSS Co5%	Cross-grinding	135	4,7	No	338 TS	OZMD	40
861757	3660338165139	4,8	86	52	HSS Co5%	Cross-grinding	135	4,8	No	338 TS	OZMD	40
861758	3660338165146	4,9	86	52	HSS Co5%	Cross-grinding	135	4,9	No	338 TS	OZMD	40
861759	3660338165153	5	86	52	HSS Co5%	Cross-grinding	135	5	No	338 TS	OZMD	40
861760	3660338165160	5,1	86	52	HSS Co5%	Cross-grinding	135	5,1	No	338 TS	OZMD	40
861761	3660338165177	5,2	86	52	HSS Co5%	Cross-grinding	135	5,2	No	338 TS	OZMD	40
861762	3660338165184	5,3	86	52	HSS Co5%	Cross-grinding	135	5,3	No	338 TS	OZMD	40
861763	3660338165191	5,4	93	57	HSS Co5%	Cross-grinding	135	5,4	No	338 TS	OZMD	40
861764	3660338165207	5,5	93	57	HSS Co5%	Cross-grinding	135	5,5	No	338 TS	OZMD	40
861765	3660338165214	5,6	93	57	HSS Co5%	Cross-grinding	135	5,6	No	338 TS	OZMD	40
861766	3660338165221	5,7	93	57	HSS Co5%	Cross-grinding	135	5,7	No	338 TS	OZMD	40
861767	3660338165238	5,8	93	57	HSS Co5%	Cross-grinding	135	5,8	No	338 TS	OZMD	40
861768	3660338165245	5,9	93	57	HSS Co5%	Cross-grinding	135	5,9	No	338 TS	OZMD	40
861769	3660338165252	6	93	57	HSS Co5%	Cross-grinding	135	6	No	338 TS	OZMD	40
861770	3660338165269	6,1	101	63	HSS Co5%	Cross-grinding	135	6,1	No	338 TS	OZMD	40
861771	3660338165276	6,2	101	63	HSS Co5%	Cross-grinding	135	6,2	No	338 TS	OZMD	40
861772	3660338165283	6,3	101	63	HSS Co5%	Cross-grinding	135	6,3	No	338 TS	OZMD	40
861773	3660338165290	6,4	101	63	HSS Co5%	Cross-grinding	135	6,4	No	338 TS	OZMD	40
861774	3660338165306	6,5	101	63	HSS Co5%	Cross-grinding	135	6,5	No	338 TS	OZMD	40
861775	3660338165313	6,6	101	63	HSS Co5%	Cross-grinding	135	6,6	No	338 TS	OZMD	40
861776	3660338165320	6,7	101	63	HSS Co5%	Cross-grinding	135	6,7	No	338 TS	OZMD	40
861777	3660338165337	6,8	109	69	HSS Co5%	Cross-grinding	135	6,8	No	338 TS	OZMD	40
861778	3660338165344	6,9	109	69	HSS Co5%	Cross-grinding	135	6,9	No	338 TS	OZMD	40
861779	3660338165351	7	109	69	HSS Co5%	Cross-grinding	135	7	No	338 TS	OZMD	40
861780	3660338165368	7,1	109	69	HSS Co5%	Cross-grinding	135	7,1	No	338 TS	OZMD	40
861781	3660338165375	7,2	109	69	HSS Co5%	Cross-grinding	135	7,2	No	338 TS	OZMD	40
861782	3660338165382	7,3	109	69	HSS Co5%	Cross-grinding	135	7,3	No	338 TS	OZMD	40
861783	3660338165399	7,4	109	69	HSS Co5%	Cross-grinding	135	7,4	No	338 TS	OZMD	40
861784	3660338165405	7,5	109	69	HSS Co5%	Cross-grinding	135	7,5	No	338 TS	OZMD	40
861785	3660338165412	7,6	117	75	HSS Co5%	Cross-grinding	135	7,6	No	338 TS	OZMD	40
861786	3660338165429	7,7	117	75	HSS Co5%	Cross-grinding	135	7,7	No	338 TS	OZMD	40

861787	3660338165436	7,8	117	75	HSS Co5%	Cross-grinding	135	7,8	No	338 TS	OZMD	40
861788	3660338165443	7,9	117	75	HSS Co5%	Cross-grinding	135	7,9	No	338 TS	OZMD	40
861789	3660338165450	8	117	75	HSS Co5%	Cross-grinding	135	8	No	338 TS	OZMD	40
861790	3660338165467	8,1	117	75	HSS Co5%	Cross-grinding	135	8,1	No	338 TS	OZMD	40
861791	3660338165474	8,2	117	75	HSS Co5%	Cross-grinding	135	8,2	No	338 TS	OZMD	40
861792	3660338165481	8,3	117	75	HSS Co5%	Cross-grinding	135	8,3	No	338 TS	OZMD	40
861793	3660338165498	8,4	117	75	HSS Co5%	Cross-grinding	135	8,4	No	338 TS	OZMD	40
861794	3660338165504	8,5	117	75	HSS Co5%	Cross-grinding	135	8,5	No	338 TS	OZMD	40
861795	3660338165511	8,6	125	81	HSS Co5%	Cross-grinding	135	8,6	No	338 TS	OZMD	40
861796	3660338165528	8,7	125	81	HSS Co5%	Cross-grinding	135	8,7	No	338 TS	OZMD	40
861797	3660338165535	8,8	125	81	HSS Co5%	Cross-grinding	135	8,8	No	338 TS	OZMD	40
861798	3660338165542	8,9	125	81	HSS Co5%	Cross-grinding	135	8,9	No	338 TS	OZMD	40
861799	3660338165559	9	125	81	HSS Co5%	Cross-grinding	135	9	No	338 TS	OZMD	40
861800	3660338165566	9,1	125	81	HSS Co5%	Cross-grinding	135	9,1	No	338 TS	OZMD	40
861801	3660338165573	9,2	125	81	HSS Co5%	Cross-grinding	135	9,2	No	338 TS	OZMD	40
861802	3660338165580	9,3	125	81	HSS Co5%	Cross-grinding	135	9,3	No	338 TS	OZMD	40
861803	3660338165597	9,4	125	81	HSS Co5%	Cross-grinding	135	9,4	No	338 TS	OZMD	40
861804	3660338165603	9,5	125	81	HSS Co5%	Cross-grinding	135	9,5	No	338 TS	OZMD	40
861805	3660338165610	9,6	133	87	HSS Co5%	Cross-grinding	135	9,6	No	338 TS	OZMD	40
861806	3660338165627	9,7	133	87	HSS Co5%	Cross-grinding	135	9,7	No	338 TS	OZMD	40
861807	3660338165634	9,8	133	87	HSS Co5%	Cross-grinding	135	9,8	No	338 TS	OZMD	40
861808	3660338165641	9,9	133	87	HSS Co5%	Cross-grinding	135	9,9	No	338 TS	OZMD	40
861809	3660338165658	10	133	87	HSS Co5%	Cross-grinding	135	10	No	338 TS	OZMD	40
861810	3660338165665	10,1	133	87	HSS Co5%	Cross-grinding	135	10,1	No	338 TS	OZMD	40
861811	3660338165672	10,2	133	87	HSS Co5%	Cross-grinding	135	10,2	No	338 TS	OZMD	40
861812	3660338165689	10,3	133	87	HSS Co5%	Cross-grinding	135	10,3	No	338 TS	OZMD	40
861813	3660338165696	10,4	133	87	HSS Co5%	Cross-grinding	135	10,4	No	338 TS	OZMD	40
861814	3660338165702	10,5	133	87	HSS Co5%	Cross-grinding	135	10,5	No	338 TS	OZMD	40
861815	3660338165719	10,6	133	87	HSS Co5%	Cross-grinding	135	10,6	No	338 TS	OZMD	40
861816	3660338165726	10,7	142	94	HSS Co5%	Cross-grinding	135	10,7	No	338 TS	OZMD	40
861817	3660338165733	10,8	142	94	HSS Co5%	Cross-grinding	135	10,8	No	338 TS	OZMD	40
861818	3660338165740	10,9	142	94	HSS Co5%	Cross-grinding	135	10,9	No	338 TS	OZMD	40
861819	3660338165757	11	142	94	HSS Co5%	Cross-grinding	135	11	No	338 TS	OZMD	40
861820	3660338165764	11,1	142	94	HSS Co5%	Cross-grinding	135	11,1	No	338 TS	OZMD	40
861821	3660338165771	11,2	142	94	HSS Co5%	Cross-grinding	135	11,2	No	338 TS	OZMD	40
861822	3660338165788	11,3	142	94	HSS Co5%	Cross-grinding	135	11,3	No	338 TS	OZMD	40
861823	3660338165795	11,4	142	94	HSS Co5%	Cross-grinding	135	11,4	No	338 TS	OZMD	40

861824	3660338165801	11,5	142	94	HSS Co5%	Cross-grinding	135	11,5	No	338 TS	OZMD	40
861825	3660338165818	11,6	142	94	HSS Co5%	Cross-grinding	135	11,6	No	338 TS	OZMD	40
861826	3660338165825	11,7	142	94	HSS Co5%	Cross-grinding	135	11,7	No	338 TS	OZMD	40
861827	3660338165832	11,8	142	94	HSS Co5%	Cross-grinding	135	11,8	No	338 TS	OZMD	40
861828	3660338165849	11,9	151	101	HSS Co5%	Cross-grinding	135	11,9	No	338 TS	OZMD	40
861829	3660338165856	12	151	101	HSS Co5%	Cross-grinding	135	12	No	338 TS	OZMD	40
861830	3660338165863	12,1	151	101	HSS Co5%	Cross-grinding	135	12,1	No	338 TS	OZMD	40
861831	3660338165870	12,2	151	101	HSS Co5%	Cross-grinding	135	12,2	No	338 TS	OZMD	40
861832	3660338165887	12,3	151	101	HSS Co5%	Cross-grinding	135	12,3	No	338 TS	OZMD	40
861833	3660338165894	12,4	151	101	HSS Co5%	Cross-grinding	135	12,4	No	338 TS	OZMD	40
861834	3660338165900	12,5	151	101	HSS Co5%	Cross-grinding	135	12,5	No	338 TS	OZMD	40
861835	3660338165917	12,6	151	101	HSS Co5%	Cross-grinding	135	12,6	No	338 TS	OZMD	40
861836	3660338165924	12,7	151	101	HSS Co5%	Cross-grinding	135	12,7	No	338 TS	OZMD	40
861837	3660338165931	12,8	151	101	HSS Co5%	Cross-grinding	135	12,8	No	338 TS	OZMD	40
861838	3660338165948	12,9	151	101	HSS Co5%	Cross-grinding	135	12,9	No	338 TS	OZMD	40
861839	3660338165955	13	151	101	HSS Co5%	Cross-grinding	135	13	No	338 TS	OZMD	40