


**The Timken Company**

4500 Mt Pleasant St. NW

N. Canton, OH 44720

**Phone:** (234) 262-3000

**E-Mail:** [CustomerCAD@timken.com](mailto:CustomerCAD@timken.com) • **Web site:** [www.timken.com](http://www.timken.com)

## Part Number 607-2RS-C3, Miniature Ball Bearings (600, 610, 620, 630)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#) | [Factors](#)

### Specifications

<b>Clearance</b>	C3
<b>Bore Size d</b>	7 mm
<b>Features</b>	Contact Seals
<b>Bearing Type</b>	Standard DGBB

### Dimensions

<b>Outside Diameter D</b>	19 mm
<b>Outside Ring Width B</b>	6 mm
<b>Radius Rs min</b>	0.3 mm



## Basic Load Ratings



Cr - Dynamic Load Rating	2300 N
--------------------------	--------


C0r - Static Load Rating	890 N
--------------------------	-------

## Factors



Grease Limiting Speed	38000 rpm
-----------------------	-----------

Oil Limiting Speed	45000 rpm
--------------------	-----------



## METRIC UNITS

Weight	0.007 kg	<b>TIMKEN®</b>
		<b>THE TIMKEN COMPANY</b> NORTH CANTON, OHIO USA

**607-2RS-C3**  
Miniature Ball Bearings (600, 610, 620, 630)

Dynamic Load Rating	2300	N
Static Load Rating	890	N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

**FOR DISCUSSION ONLY**