



NT 30/1 Tact Te L

The craftsman's favourite among wet and dry vacuum cleaners: the Kärcher NT 30/1 Tact Te with power outlet (automatic on/off switch) and Tact filter cleaning for uninterrupted work.



1 Tact automatic filter cleaning system

- Fully automatic filter cleaning through powerful bursts of air with no loss of suction.
- Market-wide unique filter service life of at least 180 kg of fine dust.

3 Power outlet with automatic on/off switch

- Te versions are equipped with power outlet, automatic on/off switch and antistatic preparation.

2 Tool sleeve with false air valve and rubber attachment

- The new tool sleeve ensures optimal connection to the power tool.
- The suction power can be regulated via the rotating ring on the base body of the sleeve.

4 Convenient, lateral storage possibility for crevice nozzle and tool sleeve

- The integrated storage ensures all accessories are stowed in such a way that they cannot get lost and are always ready to hand.



NT 30/1 Tact Te L

- PES flat pleated filter
- Antistatic preparation
- Automatic on/off switch

Technical data

Order no.	1.148-211.0	
EAN code	4054278046006	
Air flow rate	l/s	74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	l	30
Max. rated input power	W	1380
Standard nominal width	ID 35	
Sound pressure level	dB(A)	69
Container material	plastic	
Number of motors	1	
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	13.5
Dimensions (L × W × H)	mm	560 × 370 × 580

Equipment

Suction hose	m	4	Safety class	I
Filter bag		fleece	Steering roller stop	■
Wet and dry floor nozzle	mm	360		
Crevice nozzle		■		
Power tool connection adaptor		■		
Automatic switch-off at max. filling quantity		■		
Automatic on/off switch for power tools		■		
Antistatic preparation		■		
Flat pleated filter		PES		
Filter cleaning		Tact filter cleaning system		
Sturdy bumper		■		

■ Included in the scope of supply.

NT 30/1 TACT TE L

1.148-211.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Description	
Plastic sacks for dust-free disposal								
Plastic bag for dust-free disposal	1	2.889-158.0	10 piece(s)				PE plastic sack for dust-free disposal.	■
Flat pleated filter, PES								
Flat pleated filter, PES	2	6.904-360.0	1 piece(s)				Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	■
Fleece filter bags (three-ply)								
Fleece filter bags	3	2.889-154.0	5 piece(s)				Fleece filter bag with 30-litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	■
Bend, plastic								
Bend Adv	4	2.889-170.0	1 piece(s)	ID 35			Ergonomic bend for the new clip system.	■
DN 40 bend	5	2.889-171.0	1 piece(s)	ID 40			Bend for the new clip system in nominal size DN 40.	□
Elektricky vodivé koleno, DN 40	6	2.889-172.0	1 piece(s)	ID 40			Ohyb pro nový klipový systém o velikosti DN 40. Elektricky vodivý design. Speciálně vhodný pro vysoké koncentrace jemného prachu	□
Bend	7	2.889-148.0	1 piece(s)	ID 35			Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Bend Adv, electrically conductive	8	2.889-168.0	1 piece(s)	ID 35			Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
Floor nozzles								
Wet and dry floor nozzle Adv	9	2.889-152.0	1 piece(s)	ID 35		360 mm	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Wet/Dry floor nozzle standard	10	2.889-173.0	1 piece(s)	ID 35		300 mm	300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Podlahová hubice, antracit DN40	11	2.889-174.0					Standardní podlahová hubice, antracit, s průměrem 40, s kartáčovými lištami a stěrkami. Vhodné pro všechny mokré i suché aplikace.	□
Wet and dry floor nozzle	12	6.906-512.0	1 piece(s)	ID 35		300 mm	All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	□
Multi-purpose nozzle, wet/dry	13	6.906-384.0	1 piece(s)	ID 35		370 mm	All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Wet and dry floor nozzle	14	2.889-118.0	1 piece(s)	ID 35		400 mm	Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.	□
Wet and dry floor nozzle Adv	15	2.889-153.0	1 piece(s)	ID 40		360 mm	360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	□
Crevice nozzles								
Crevice nozzle NT Tact DN 35	16	2.889-159.0	1 piece(s)	ID 35	225 mm		Crevice nozzle ID 35, for new Tact range.	■
Crevice nozzle NT Tact DN 40	17	2.889-160.0	1 piece(s)	ID 40	225 mm		Crevice nozzle ID 40, for new Tact range.	□
Suction tubes, stainless steel								
Set suction tube stainless steel NW35 55	18	2.889-192.0	1 piece(s)	ID 35	550 mm		Stainless steel suction tube set (2 × 0.55 m)	■
Set suction tube stainless steel NW40 55	19	2.889-194.0	1 piece(s)	ID 40	550 mm			□

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT TE L

1.148-211.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Description	
Complete suction hoses (clip system)								
Suction hose	20	2.889-135.0	1 piece(s)	ID 35	4 m		4 m suction hose with new bayonet and clip fastener.	■
	21	2.889-133.0	1 piece(s)	ID 35	2.5 m		2.5 m suction hose with new clip fastener, C 35.	□
	22	2.889-161.0	1 piece(s)	ID 35	2 m		Flexible, robust and durable suction hose with new clip fastener. Ideal for our dry vacuum cleaners. 2 m long. Nominal width: DN 35.	□
	23	2.889-134.0	1 piece(s)	ID 35	2.5 m		2.5 m suction hose with new bayonet and clip fastener.	□
Electrically conductive suction hose	24	2.889-136.0	1 piece(s)	ID 35	2.5 m		Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
	25	2.889-137.0	1 piece(s)	ID 35	4 m		4 m suction hose with new bayonet and clip fastener. Electrically conductive.	□
Suction hose DN 40, length 4 m	26	2.889-138.0	1 piece(s)	ID 40	4 m		4 m suction hose with new bayonet and clip fastener.	□
Suction hose	27	2.889-139.0	1 piece(s)	ID 40	2.5 m		Suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Suction hose, oil-resistant	28	2.889-140.0	1 piece(s)	ID 40	4 m		Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	□
Electrically conductive suction hose	29	2.889-141.0	1 piece(s)	ID 40	4 m		4 m, electrically conductive suction hose with new bayonet and clip fastener.	□
	30	2.889-142.0	1 piece(s)	ID 40	2.5 m		Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	□
Connection adapter for power tools, clip-on, electrically conductive								
Tool collar DN 35, clip-on	31	2.889-151.0	1 piece(s)	ID 35			Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	■
Suction tubes, metal								
Suction tube set, chrome-plated, NW 35 550 mm	32	2.889-191.0	1 piece(s)	ID 35	550 mm		Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	□
Suction hoses (clip system)								
Suction hose	33	2.889-163.0	1 piece(s)	ID 35	2.5 m		Electroconductive suction hose, NW 35. Length: 2.5 metres.	□
Flat pleated filter, paper								
Dry flat pleated filter	34	6.904-367.0	1 piece(s)				Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	□
Flat pleated filter, PTFE								
Ultimate flat pleated filter	35	6.907-455.0	1 piece(s)				Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
Coarse dirt filter for wet vacuuming								
Coarse dirt filter	36	6.904-287.0	1 piece(s)				Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	□
Fabric filter								
Wood cartridge filter	37	2.414-000.0					Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	□
Membrane filter for the new Tact and Ap range	38	2.889-281.0					Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	□

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT TE L

1.148-211.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Description	
HEPA, dust class H filter								
HEPA flat pleated filter	39	6.904-242.0	1 piece(s)				HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	<input type="checkbox"/>
All-purpose brushes								
All-purpose brush	40	6.900-425.0	1 piece(s)	ID 35	120 mm		All-purpose brush PPN_Bristle	<input type="checkbox"/>
Car cleaning nozzles								
Car nozzle	41	6.906-108.0	1 piece(s)	ID 35		90 mm	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Combi-nozzles, dry								
Combi-nozzle, dry	42	6.906-511.0	1 piece(s)	ID 35		270 mm	Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
Suction brushes								
Suction brush	43	6.903-862.0	1 piece(s)	ID 35		70 mm	Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
Repair kits								
Repair kit ID 35	44	2.889-149.0	1 piece(s)	ID 35			Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
Repair kit ID 40	45	2.889-150.0	1 piece(s)	ID 40			Repair kit ID 40 for the new clip system.	<input type="checkbox"/>
Extension hoses (clip system)								
Extension hose	46	2.889-145.0	1 piece(s)	ID 35	2.5 m		Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>
	47	2.889-146.0	1 piece(s)	ID 40	2.5 m		Extension hose for new clip system ID 40. Length: 2.5 m.	<input type="checkbox"/>
Other								
Drilling dust nozzle	48	2.679-000.0	1 piece(s)				Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter for electric power tools, screwable								
Adapter for electric power tools, screwable, ID 35	49	5.453-016.0	1 piece(s)	ID 35			3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
Target-group-specific accessory kits for vacuum cleaners								
Universal trade and industrial set	50	2.637-595.0		ID 35			Accessory kit for trade and industry.	<input type="checkbox"/>
Heating boiler cleaning kit	51	2.638-852.0		ID 35			Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	<input type="checkbox"/>
Car cleaning accessory kit	52	2.862-166.0		ID 35			Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.