

Camlock Fittings: Snaplock®



Technical Specification

- Sizes 1/2" - 6" (up to 4" Polypropylene)
- Available in Aluminium, Brass, 316 Stainless Steel, Polypropylene
- Threads available: Male BSP taper, Female BSP parallel & NPT
- 4 - 10 Bar maximum working pressures
- 3.1 Material Certification available on 316 Stainless Steel
- Capable of carrying liquids, powders & granules
- Interchangeable with other camlocks made to the same standard (A-A-59326D)
- Hosetail, flanged & weld ends available



Features & Benefits

- Straight-through coupling
- Simple & versatile
- No tools required
- Branded product made from our own tooling
- All couplings, including 1/2" have two handles as standard

Applications

- Pipe, hose, tubing, & tanks conveying liquids & powders
- Cooling water
- Fuels
- Chemicals
- Cosmetics
- Foodstuffs

Code	Size	Connection	Material	Seal	Pressure (Bar)
Part A Adaptor with Female Thread BSP or NPT					
A050-A	1/2"	Male Adaptor by Female Thread	Aluminium	NA	9
A050-B-NPT	1/2"	Male Adaptor by Female Thread	Brass	NA	10
A050-P	1/2"	Male Adaptor by Female Thread	Polypropylene	NA	10
A050-SS	1/2"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A050-SS-NPT	1/2"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A075-A	3/4"	Male Adaptor by Female Thread	Aluminium	NA	10
A075-A-NPT	3/4"	Male Adaptor by Female Thread	Aluminium	NA	10
A075-B-NPT	3/4"	Male Adaptor by Female Thread	Brass	NA	10
A075-P	3/4"	Male Adaptor by Female Thread	Polypropylene	NA	7
A075-SS	3/4"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A075-SS-NPT	3/4"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A100-A	1"	Male Adaptor by Female Thread	Aluminium	NA	10
A100-A-NPT	1"	Male Adaptor by Female Thread	Aluminium	NA	10



Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
A100-B	1"	Male Adaptor by Female Thread	Brass	NA	10
A100-B-NPT	1"	Male Adaptor by Female Thread	Brass	NA	10
A100-P	1"	Male Adaptor by Female Thread	Polypropylene	NA	7
A100-P-NPT	1"	Male Adaptor by Female Thread	Polypropylene	NA	7
A100-SS	1"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A100-SS-NPT	1"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A125-A	1 1/4"	Male Adaptor by Female Thread	Aluminium	NA	10
A125-B	1 1/4"	Male Adaptor by Female Thread	Brass	NA	10
A125-B-NPT	1 1/4"	Male Adaptor by Female Thread	Brass	NA	10
A125-P	1 1/4"	Male Adaptor by Female Thread	Polypropylene	NA	7
A125-SS	1 1/4"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A125-SS-NPT	1 1/4"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A150-A	1 1/2"	Male Adaptor by Female Thread	Aluminium	NA	10
A150-A-NPT	1 1/2"	Male Adaptor by Female Thread	Aluminium	NA	10
A150-B	1 1/2"	Male Adaptor by Female Thread	Brass	NA	10
A150-B-NPT	1 1/2"	Male Adaptor by Female Thread	Brass	NA	10
A150-P	1 1/2"	Male Adaptor by Female Thread	Polypropylene	NA	7
A150-SS	1 1/2"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A150-SS-NPT	1 1/2"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A200-A	2"	Male Adaptor by Female Thread	Aluminium	NA	10
A200-A-NPT	2"	Male Adaptor by Female Thread	Aluminium	NA	10
A200-B	2"	Male Adaptor by Female Thread	Brass	NA	10
A200-B-NPT	2"	Male Adaptor by Female Thread	Brass	NA	10
A200-P	2"	Male Adaptor by Female Thread	Polypropylene	NA	7
A200-P-NPT	2"	Male Adaptor by Female Thread	Polypropylene	NA	10
A200-SS	2"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A200-SS-NPT	2"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A250-A	2 1/2"	Male Adaptor by Female Thread	Aluminium	NA	10
A250-A-NPT	2 1/2"	Male Adaptor by Female Thread	Aluminium	NA	10
A250-B	2 1/2"	Male Adaptor by Female Thread	Brass	NA	10
A250-B-NPT	2 1/2"	Male Adaptor by Female Thread	Brass	NA	10
A250-SS	2 1/2"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A250-SS-NPT	2 1/2"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A300-A	3"	Male Adaptor by Female Thread	Aluminium	NA	10

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
A300-A-NPT	3"	Male Adaptor by Female Thread	Aluminium	NA	10
A300-B	3"	Male Adaptor by Female Thread	Brass	NA	10
A300-B-NPT	3"	Male Adaptor by Female Thread	Brass	NA	10
A300-P	3"	Male Adaptor by Female Thread	Polypropylene	NA	7
A300-P-NPT	3"	Male Adaptor by Female Thread	Polypropylene	NA	7
A300-SS	3"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A300-SS-NPT	3"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A400-A	4"	Male Adaptor by Female Thread	Aluminium	NA	10
A400-A-NPT	4"	Male Adaptor by Female Thread	Aluminium	NA	10
A400-B	4"	Male Adaptor by Female Thread	Brass	NA	10
A400-B-NPT	4"	Male Adaptor by Female Thread	Brass	NA	10
A400-P	4"	Male Adaptor by Female Thread	Polypropylene	NA	7
A400-P-NPT	4"	Male Adaptor by Female Thread	Polypropylene	NA	7
A400-SS	4"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A400-SS-NPT	4"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A500-A	5"	Male Adaptor by Female Thread	Aluminium	NA	10
A500-B	5"	Male Adaptor by Female Thread	Brass	NA	10
A500-B-NPT	5"	Male Adaptor by Female Thread	Brass	NA	10
A500-SS	5"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A500-SS-NPT	5"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10
A600-A	6"	Male Adaptor by Female Thread	Aluminium	NA	10
A600-B	6"	Male Adaptor by Female Thread	Brass	NA	10
A600-B-NPT	6"	Male Adaptor by Female Thread	Brass	NA	10
A600-SS	6"	Male Adaptor by Female Thread	Stainless Steel 316	NA	10

Part B Coupler with Male Thread BSP or NPT

B050-A	1/2"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B050-B	1/2"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B050-B-NPT	1/2"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B050-P	1/2"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B050-SS	1/2"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B050-SS-NPT	1/2"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B050-SS-NT	1/2"	Female Coupler by Weld End	Stainless Steel 316	Buna Nitrile	10
B075-A	3/4"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
B075-A-NPT	3/4"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B075-B	3/4"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B075-B-NPT	3/4"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B075-P	3/4"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B075-SS	3/4"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B075-SS-NPT	3/4"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B075-SS-NT	3/4"	Female Coupler by Weld End	Stainless Steel 316	Buna Nitrile	10
B100-A	1"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B100-A-NPT	1"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B100-B	1"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B100-B-NPT	1"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B100-P	1"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B100-P-NPT	1"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B100-SS	1"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B100-SS-NPT	1"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B100-SS-NT	1"	Female Coupler by Weld End	Stainless Steel 316	Buna Nitrile	10
B125-A	1 1/4"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B125-B	1 1/4"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B125-P	1 1/4"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B125-SS	1 1/4"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B125-SS-NPT	1 1/4"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B125-SS-NT	1 1/4"	Female Coupler by Weld End	Stainless Steel 316	Buna Nitrile	10
B150-A	1 1/2"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B150-A-NPT	1 1/2"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B150-B	1 1/2"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B150-B-NPT	1 1/2"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B150-P	1 1/2"	Female Coupler by Male Thread	Polypropylene	Santoprene	10
B150-P-NPT	1 1/2"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B150-SS	1 1/2"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B150-SS-NPT	1 1/2"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B150-SS-NT	1 1/2"	Female Coupler by Weld End	Stainless Steel 316	Buna Nitrile	10
B200-A	2"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B200-A-NPT	2"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
B200-B	2"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B200-B-NPT	2"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B200-P	2"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B200-P-NPT	2"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B200-SS	2"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B200-SS-NPT	2"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B200-SS-NT	2"	Female Coupler by Weld End	Stainless Steel 316	Buna Nitrile	10
B250-A	2 1/2"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B250-B	2 1/2"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B250-B-NPT	2 1/2"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B250-SS	2 1/2"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B250-SS-NPT	2 1/2"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B250-SS-NT	2 1/2"	Female Coupler by Weld End	Stainless Steel 316	Buna Nitrile	10
B300-A	3"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B300-A-NPT	3"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B300-B	3"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B300-B-NPT	3"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B300-P	3"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B300-P-NPT	3"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B300-SS	3"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B300-SS-NPT	3"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B400-A	4"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B400-A-NPT	4"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B400-B	4"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B400-B-NPT	4"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B400-P	4"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B400-P-NPT	4"	Female Coupler by Male Thread	Polypropylene	Santoprene	7
B400-SS	4"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B400-SS-NPT	4"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B500-A	5"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B500-B	5"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B500-B-NPT	5"	Female Coupler by Male Thread	Brass	Buna Nitrile	10

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
B500-SS	5"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B500-SS-NPT	5"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
B600-A	6"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B600-A-NPT	6"	Female Coupler by Male Thread	Aluminium	Buna Nitrile	10
B600-B	6"	Female Coupler by Male Thread	Brass	Buna Nitrile	10
B600-SS	6"	Female Coupler by Male Thread	Stainless Steel 316	Buna Nitrile	10
Part C Coupler with Hose Tail					
C050-A	1/2"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10
C050-B	1/2"	Female Coupler by Hose Tail	Brass	Buna Nitrile	9
C050-P	1/2"	Female Coupler by Hose Tail	Polypropylene	Santoprene	7
C050-SS	1/2"	Female Coupler by Hose Tail	Stainless Steel 316	Buna Nitrile	10
C075-A	3/4"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10
C075-B	3/4"	Female Coupler by Hose Tail	Brass	Buna Nitrile	10
C075-P	3/4"	Female Coupler by Hose Tail	Polypropylene	Santoprene	7
C075-SS	3/4"	Female Coupler by Hose Tail	Stainless Steel 316	Buna Nitrile	10
C100-A	1"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10
C100-B	1"	Female Coupler by Hose Tail	Brass	Buna Nitrile	10
C100-P	1"	Female Coupler by Hose Tail	Polypropylene	Santoprene	7
C100-SS	1"	Female Coupler by Hose Tail	Stainless Steel 316	Buna Nitrile	10
C125-A	1 1/4"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10
C125-B	1 1/4"	Female Coupler by Hose Tail	Brass	Buna Nitrile	10
C125-P	1 1/4"	Female Coupler by Hose Tail	Polypropylene	Santoprene	7
C125-SS	1 1/4"	Female Coupler by Hose Tail	Stainless Steel 316	Buna Nitrile	10
C150-A	1 1/2"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10
C150-B	1 1/2"	Female Coupler by Hose Tail	Brass	Buna Nitrile	10
C150-P	1 1/2"	Female Coupler by Hose Tail	Polypropylene	Santoprene	7
C150-SS	1 1/2"	Female Coupler by Hose Tail	Stainless Steel 316	Buna Nitrile	10
C200-A	2"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10
C200-B	2"	Female Coupler by Hose Tail	Brass	Buna Nitrile	10
C200-P	2"	Female Coupler with Hose Tail	Polypropylene	Buna Nitrile	7
C250-A	2 1/2"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10
C250-B	2 1/2"	Female Coupler by Hose Tail	Brass	Buna Nitrile	10
C250-SS	2 1/2"	Female Coupler by Hose Tail	Stainless Steel 316	Buna Nitrile	10
C300-A	3"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
C300-B	3"	Female Coupler by Hose Tail	Brass	Buna Nitrile	10
C300-P	3"	Female Coupler by Hose Tail	Polypropylene	Santoprene	7
C300-SS	3"	Female Coupler by Hose Tail	Stainless Steel 316	Buna Nitrile	10
C400-A	4"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10
C400-B	4"	Female Coupler by Hose Tail	Brass	Buna Nitrile	10
C400-P	4"	Female Coupler by Hose Tail	Polypropylene	Santoprene	7
C400-SS	4"	Female Coupler by Hose Tail	Stainless Steel 316	Buna Nitrile	10
C500-A	5"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10
C500-SS	5"	Female Coupler by Hose Tail	Stainless Steel 316	Buna Nitrile	10
C600-A	6"	Female Coupler by Hose Tail	Aluminium	Buna Nitrile	10
C600-B	6"	Female Coupler by Hose Tail	Brass	Buna Nitrile	10
C600-SS	6"	Female Coupler by Hose Tail	Stainless Steel 316	Buna Nitrile	10

Part D Coupler with Female Thread BSP or NPT

D050-A	1/2"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D050-B	1/2"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D050-P	1/2"	Female Coupler by Female Thread	Polypropylene	Santoprene	10
D050-SS	1/2"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D050-SS-NPT	1/2"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D075-A	3/4"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D075-A-NPT	3/4"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D075-B	3/4"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D075-B-NPT	3/4"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D075-P	3/4"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D075-SS	3/4"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D075-SS-NPT	3/4"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D100-A	1"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D100-A-NPT	1"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D100-B	1"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D100-B-NPT	1"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D100-P	1"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D100-P-NPT	1"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D100-SS	1"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D100-SS-NPT	1"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
D125-A	1 1/4"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D125-B	1 1/4"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D125-B-NPT	1 1/4"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D125-P	1 1/4"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D125-SS	1 1/4"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D125-SS-NPT	1 1/4"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D150-A	1 1/2"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D150-A-NPT	1 1/2"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D150-B	1 1/2"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D150-B-NPT	1 1/2"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D150-P	1 1/2"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D150-P-NPT	1 1/2"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D150-SS	1 1/2"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D150-SS-NPT	1 1/2"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D200-A	2"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D200-A-NPT	2"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D200-B	2"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D200-B-NPT	2"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D200-P	2"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D200-P-NPT	2"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D200-SS	2"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D200-SS-NPT	2"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D250-A	2 1/2"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D250-B	2 1/2"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D250-B-NPT	2 1/2"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D250-SS	2 1/2"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D250-SS-NPT	2 1/2"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D300-A	3"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D300-A-NPT	3"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D300-B	3"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D300-B-NPT	3"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D300-P	3"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D300-SS	3"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D300-SS-NPT	3"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
D400-A	4"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D400-A-NPT	4"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D400-B	4"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D400-B-NPT	4"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D400-P	4"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D400-P-NPT	4"	Female Coupler by Female Thread	Polypropylene	Santoprene	7
D400-SS	4"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D400-SS-NPT	4"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D500-A	5"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D500-A-NPT	5"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D500-B	5"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D500-B-NPT	5"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D500-SS	5"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D500-SS-NPT	5"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D600-A	6"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D600-A-NPT	6"	Female Coupler by Female Thread	Aluminium	Buna Nitrile	10
D600-B	6"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D600-B-NPT	6"	Female Coupler by Female Thread	Brass	Buna Nitrile	10
D600-SS	6"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10
D600-SS-NPT	6"	Female Coupler by Female Thread	Stainless Steel 316	Buna Nitrile	10

Part DC Dust Cap

DC050-A	1/2"	Dust Cap	Aluminium	Buna Nitrile	NA
DC050-B	1/2"	Dust Cap	Brass	Buna Nitrile	NA
DC050-SS	1/2"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA
DC075-A	3/4"	Dust Cap	Aluminium	Buna Nitrile	NA
DC075-B	3/4"	Dust Cap	Brass	Buna Nitrile	NA
DC075-P	3/4"	Dust Cap	Polypropylene	Santoprene	NA
DC075-SS	3/4"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA
DC100-A	1"	Dust Cap	Aluminium	Buna Nitrile	NA
DC100-B	1"	Dust Cap	Brass	Buna Nitrile	NA
DC100-P	1"	Dust Cap	Polypropylene	Santoprene	NA
DC100-SS	1"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA
DC125-A	1 1/4"	Dust Cap	Aluminium	Buna Nitrile	NA

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
DC125-B	1 1/4"	Dust Cap	Brass	Buna Nitrile	NA
DC125-SS	1 1/4"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA
DC150-A	1 1/2"	Dust Cap	Aluminium	Buna Nitrile	NA
DC150-B	1 1/2"	Dust Cap	Brass	Buna Nitrile	NA
DC150-P	1 1/2"	Dust Cap	Polypropylene	Santoprene	NA
DC150-SS	1 1/2"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA
DC200-A	2"	Dust Cap	Aluminium	Buna Nitrile	NA
DC200-B	2"	Dust Cap	Brass	Buna Nitrile	NA
DC200-P	2"	Dust Cap	Polypropylene	Buna Nitrile	NA
DC200-SS	2"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA
DC250-A	2 1/2"	Dust Cap	Aluminium	Buna Nitrile	NA
DC250-B	2 1/2"	Dust Cap	Brass	Buna Nitrile	NA
DC250-SS	2 1/2"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA
DC300-A	3"	Dust Cap	Aluminium	Buna Nitrile	NA
DC300-B	3"	Dust Cap	Brass	Buna Nitrile	NA
DC300-P	3"	Dust Cap	Polypropylene	Buna Nitrile	NA
DC300-SS	3"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA
DC400-A	4"	Dust Cap	Aluminium	Buna Nitrile	NA
DC400-B	4"	Dust Cap	Brass	Buna Nitrile	NA
DC400-P	4"	Dust Cap	Polypropylene	Santoprene	NA
DC400-SS	4"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA
DC500-A	5"	Dust Cap	Aluminium	Buna Nitrile	NA
DC500-B	5"	Dust Cap	Brass	Buna Nitrile	NA
DC500-SS	5"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA
DC600-A	6"	Dust Cap	Aluminium	Buna Nitrile	NA
DC600-B	6"	Dust Cap	Brass	Buna Nitrile	NA
DC600-SS	6"	Dust Cap	Stainless Steel 316	Buna Nitrile	NA

Part DP Dust Plug

DP050-A	1/2"	Dust Plug	Aluminium	NA	NA
DP050-B	1/2"	Dust Plug	Brass	NA	NA
DP050-SS	1/2"	Dust Plug	Stainless Steel 316	NA	NA
DP075-A	3/4"	Dust Plug	Aluminium	NA	NA
DP075-B	3/4"	Dust Plug	Brass	NA	NA

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
DP075-P	3/4"	Dust Plug	Polypropylene	NA	NA
DP075-SS	3/4"	Dust Plug	Stainless Steel 316	NA	NA
DP100-A	1"	Dust Plug	Aluminium	NA	NA
DP100-B	1"	Dust Plug	Brass	NA	NA
DP100-P	1"	Dust Plug	Polypropylene	NA	NA
DP100-SS	1"	Dust Plug	Stainless Steel 316	NA	NA
DP125-A	1 1/4"	Dust Plug	Aluminium	NA	NA
DP125-B	1 1/4"	Dust Plug	Brass	NA	NA
DP125-SS	1 1/4"	Dust Plug	Stainless Steel 316	NA	NA
DP150-A	1 1/2"	Dust Plug	Aluminium	NA	NA
DP150-B	1 1/2"	Dust Plug	Brass	NA	NA
DP150-P	1 1/2"	Dust Plug	Polypropylene	NA	NA
DP150-SS	1 1/2"	Dust Plug	Stainless Steel 316	NA	NA
DP200-A	2"	Dust Plug	Aluminium	NA	NA
DP200-B	2"	Dust Plug	Brass	NA	NA
DP200-P	2"	Dust Plug	Polypropylene	NA	NA
DP200-SS	2"	Dust Plug	Stainless Steel 316	NA	NA
DP250-B	2 1/2"	Dust Plug	Brass	NA	NA
DP250-SS	2 1/2"	Dust Plug	Stainless Steel 316	NA	NA
DP300-A	3"	Dust Plug	Aluminium	NA	NA
DP300-B	3"	Dust Plug	Brass	NA	NA
DP300-P	3"	Dust Plug	Polypropylene	NA	NA
DP300-SS	3"	Dust Plug	Stainless Steel 316	NA	NA
DP400-A	4"	Dust Plug	Aluminium	NA	NA
DP400-B	4"	Dust Plug	Brass	NA	NA
DP400-P	4"	Dust Plug	Polypropylene	NA	NA
DP400-SS	4"	Dust Plug	Stainless Steel 316	NA	NA
DP500-A	5"	Dust Plug	Aluminium	NA	NA
DP500-B	5"	Dust Plug	Brass	NA	NA
DP500-SS	5"	Dust Plug	Stainless Steel 316	NA	NA
DP600-A	6"	Dust Plug	Aluminium	NA	NA
DP600-B	6"	Dust Plug	Brass	NA	NA
DP600-SS	6"	Dust Plug	Stainless Steel 316	NA	NA

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
Part E - Adaptor with Hose Tail					
E050-A	1/2"	Male Adaptor by Hose Tail	Aluminium	NA	9
E050-B	1/2"	Male Adaptor by Hose Tail	Brass	NA	9
E050-P	1/2"	Male Adaptor by Hose Tail	Polypropylene	NA	5
E050-SS	1/2"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	10
E075-A	3/4"	Male Adaptor by Hose Tail	Aluminium	NA	10
E075-B	3/4"	Male Adaptor by Hose Tail	Brass	NA	10
E075-P	3/4"	Male Adaptor by Hose Tail	Polypropylene	NA	7
E075-SS	3/4"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	10
E100-A	1"	Male Adaptor by Hose Tail	Aluminium	NA	10
E100-B	1"	Male Adaptor by Hose Tail	Brass	NA	10
E100-P	1"	Male Adaptor by Hose Tail	Polypropylene	NA	7
E100-SS	1"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	10
E125-A	1 1/4"	Male Adaptor by Hose Tail	Aluminium	NA	10
E125-B	1 1/4"	Male Adaptor by Hose Tail	Brass	NA	10
E125-P	1 1/4"	Male Adaptor by Hose Tail	Polypropylene	NA	7
E125-SS	1 1/4"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	10
E150-B	1 1/2"	Male Adaptor by Hose Tail	Brass	NA	10
E150-P	1 1/2"	Male Adaptor by Hose Tail	Polypropylene	NA	7
E150-SS	1 1/2"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	10
E200-A	2"	Male Adaptor by Hose Tail	Aluminium	NA	10
E200-B	2"	Male Adaptor by Hose Tail	Brass	NA	10
E200-P	2"	Male Adaptor by Hose Tail	Polypropylene	NA	7
E200-SS	2"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	10
E250-A	2 1/2"	Male Adaptor by Hose Tail	Aluminium	NA	10
E250-B	2 1/2"	Male Adaptor by Hose Tail	Brass	NA	10
E250-SS	2 1/2"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	10
E300-A	3"	Male Adaptor by Hose Tail	Aluminium	NA	10
E300-B	3"	Male Adaptor by Hose Tail	Brass	NA	10
E300-P	3"	Male Adaptor by Hose Tail	Polypropylene	NA	4
E300-SS	3"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	10
E400-A	4"	Male Adaptor by Hose Tail	Aluminium	NA	10
E400-B	4"	Male Adaptor by Hose Tail	Brass	NA	10

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
E400-P	4"	Male Adaptor by Hose Tail	Polypropylene	NA	4
E400-SS	4"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	10
E500-A	5"	Male Adaptor by Hose Tail	Aluminium	NA	5
E500-B	5"	Male Adaptor by Hose Tail	Brass	NA	5
E500-SS	5"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	9
E600-B	6"	Male Adaptor by Hose Tail	Brass	NA	5
E600-SS	6"	Male Adaptor by Hose Tail	Stainless Steel 316	NA	9

Part F Adaptor with Male Thread BSP or NPT

F050-A	1/2"	Male Adaptor by Male Thread	Aluminium	NA	10
F050-B	1/2"	Male Adaptor by Male Thread	Brass	NA	10
F050-P	1/2"	Male Adaptor by Male Thread	Polypropylene	NA	7
F050-P-NPT	1/2"	Male Adaptor by Male Thread	Polypropylene	NA	10
F050-SS	1/2"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F050-SS-NPT	1/2"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F050-SS-NT	1/2"	Male Adaptor by Weld End	Stainless Steel 316	NA	10
F075-A	3/4"	Male Adaptor by Male Thread	Aluminium	NA	10
F075-A-NPT	3/4"	Male Adaptor by Male Thread	Aluminium	NA	10
F075-B	3/4"	Male Adaptor by Male Thread	Brass	NA	10
F075-B-NPT	3/4"	Male Adaptor by Male Thread	Brass	NA	10
F075-P	3/4"	Male Adaptor by Male Thread	Polypropylene	NA	10
F075-SS	3/4"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F075-SS-NPT	3/4"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F075-SS-NT	3/4"	Male Adaptor by Weld End	Stainless Steel 316	NA	10
F100-A	1"	Male Adaptor by Male Thread	Aluminium	NA	10
F100-A-NPT	1"	Male Adaptor by Male Thread	Aluminium	NA	10
F100-B	1"	Male Adaptor by Male Thread	Brass	NA	10
F100-B-NPT	1"	Male Adaptor by Male Thread	Brass	NA	10
F100-P	1"	Male Adaptor by Male Thread	Polypropylene	NA	7
F100-P-NPT	1"	Male Adaptor by Male Thread	Polypropylene	NA	7
F100-SS	1"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F100-SS-NPT	1"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F100-SS-NT	1"	Male Adaptor by Weld End	Stainless Steel 316	NA	10
F125-A	1 1/4"	Male Adaptor by Male Thread	Aluminium	NA	10

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
F125-A-NPT	1 1/4"	Male Adaptor by Male Thread	Aluminium	NA	10
F125-B	1 1/4"	Male Adaptor by Male Thread	Brass	NA	10
F125-B-NPT	1 1/4"	Male Adaptor by Male Thread	Brass	NA	10
F125-P	1 1/4"	Male Adaptor by Male Thread	Polypropylene	NA	7
F125-P-NPT	1 1/4"	Male Adaptor by Male Thread	Polypropylene	NA	7
F125-SS	1 1/4"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F125-SS-NPT	1 1/4"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F125-SS-NT	1 1/4"	Male Adaptor by Weld End	Stainless Steel 316	NA	10
F150-A	1 1/2"	Male Adaptor by Male Thread	Aluminium	NA	10
F150-A-NPT	1 1/2"	Male Adaptor by Male Thread	Aluminium	NA	10
F150-B	1 1/2"	Male Adaptor by Male Thread	Brass	NA	10
F150-B-NPT	1 1/2"	Male Adaptor by Male Thread	Brass	NA	10
F150-P	1 1/2"	Male Adaptor by Male Thread	Polypropylene	NA	7
F150-P-NPT	1 1/2"	Male Adaptor by Male Thread	Polypropylene	NA	7
F150-SS	1 1/2"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F150-SS-NPT	1 1/2"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F150-SS-NT	1 1/2"	Male Adaptor by Weld End	Stainless Steel 316	NA	10
F200-A	2"	Male Adaptor by Male Thread	Aluminium	NA	10
F200-A-NPT	2"	Male Adaptor by Male Thread	Aluminium	NA	10
F200-B	2"	Male Adaptor by Male Thread	Brass	NA	10
F200-B-NPT	2"	Male Adaptor by Male Thread	Brass	NA	10
F200-P	2"	Male Adaptor by Male Thread	Polypropylene	NA	7
F200-P-NPT	2"	Male Adaptor by Male Thread	Polypropylene	NA	7
F200-SS	2"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F200-SS-NPT	2"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F200-SS-NT	2"	Male Adaptor by Weld End	Stainless Steel 316	NA	10
F250-A	2 1/2"	Male Adaptor by Male Thread	Aluminium	NA	10
F250-A-NPT	2 1/2"	Male Adaptor by Male Thread	Aluminium	NA	7
F250-B	2 1/2"	Male Adaptor by Male Thread	Brass	NA	10
F250-B-NPT	2 1/2"	Male Adaptor by Male Thread	Brass	NA	10
F250-SS	2 1/2"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F250-SS-NT	2 1/2"	Male Adaptor by Weld End	Stainless Steel 316	NA	10
F300-A	3"	Male Adaptor by Male Thread	Aluminium	NA	10

Camlock Fittings: Snaplock

Code	Size	Connection	Material	Seal	Pressure (Bar)
F300-A-NPT	3"	Male Adaptor by Male Thread	Aluminium	NA	10
F300-B	3"	Male Adaptor by Male Thread	Brass	NA	10
F300-B-NPT	3"	Male Adaptor by Male Thread	Brass	NA	10
F300-P	3"	Male Adaptor by Male Thread	Polypropylene	NA	7
F300-P-NPT	3"	Male Adaptor by Male Thread	Polypropylene	NA	4
F300-SS	3"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F300-SS-NPT	3"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F300-SS-NT	3"	Male Adaptor by Weld End	Stainless Steel 316	NA	10
F400-A	4"	Male Adaptor by Male Thread	Aluminium	NA	10
F400-A-NPT	4"	Male Adaptor by Male Thread	Aluminium	NA	10
F400-B	4"	Male Adaptor by Male Thread	Brass	NA	10
F400-B-NPT	4"	Male Adaptor by Male Thread	Brass	NA	10
F400-P	4"	Male Adaptor by Male Thread	Polypropylene	NA	7
F400-SS	4"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F400-SS-NPT	4"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F500-A	5"	Male Adaptor by Male Thread	Aluminium	NA	10
F500-B	5"	Male Adaptor by Male Thread	Brass	NA	10
F500-SS	5"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10
F600-A	6"	Male Adaptor by Male Thread	Aluminium	NA	10
F600-A-NPT	6"	Male Adaptor by Male Thread	Aluminium	NA	10
F600-B	6"	Male Adaptor by Male Thread	Brass	NA	10
F600-B-NPT	6"	Male Adaptor by Male Thread	Brass	NA	10
F600-SS	6"	Male Adaptor by Male Thread	Stainless Steel 316	NA	10